7000 Series
Lift & Slide System

Lift & Slide:
Bridging Spaces, Embracing Freedom.

Comfort

Thermal Insulation

Sound Insulation

Watertightness

The lift and slide system which is available in sizes up to 20 ft wide and 12ft tall, provides uninterrupted panoramic views, delivers comfort and expands your living or working space.

Experience the freedom of creating a larger, more open environment that enhances both aesthetics and functionality.

Security

With the door in locked position the multi-point locks will make contact in several locations the number varies depending on the door size, the sash panels will also be securely resting on the sill making it very difficult to move due to the weight.



Assembly

The knocked down frame and individual sashes help facilitate transportation and installation of large door systems.

Energy Performance

The 70MM sash profile and multiple glass stop profiles allows for a wide variety of single, dual, and triple glazed glass combinations providing better energy performance.

Structural Performance

Metal reinforced profiles enable the door system to be used in wide openings where the wind load requirement is high.

Door Operation

With the locking handles in the closed position the sashes rest on the track compressing the seals, making the door air tight.

Turning the handles to the open position engages its bogie wheels raising the sash which allows the door to open and close effortlessly.

7000 SERIES / LIFT AND SLIDE SYSTEM TECHNICAL PROPERTIES

PERFORMANCE CLASSIFICATION: LC/PG 35 - SIZE TESTED 184.0 X 96.0”

Properties	Lift and Slide
Jamb Depth	6 5/8”
Overall Thermal Unit Thickness	15/16 to 2
Glass Thickness (mm)	4 to 40
Air Tightness	A3
Wind Load Resistance	1680 Pa
Water Penetration Resistance	440 Pa

APPLICATION FEATURES

Sash Load Capacity
882 lb accessories
16.4 lb/ft2 glass

Sash Rebate Width
min. 28″ -
max. 118″

Sash Rebate Height
min. 24″ -
max. 122″

TYPES OF OPENINGS



MAXIMUM SIZES:

2 panel:

236″ (19′8″) x 95 ½″ (8′). Knocked down

191″ (15.91′) x 122″ (10′)

4 panel:

252″ (21′) x 122″ (10′).

COLOUR OPTIONS

PVC Profile Colours

White | **Grey** | **Cream White**

Laminated Colour/Pattern Options

PX-20
Black Ulti-Matt

MX-92
Platin

MX-11
Gale Grey

MX-16
Anthracite Grey

MX-64
Quartz Grey

MX-21
Trompet

MX-15
Walnut

MX-23
Cottony Winchester

PX-98
Siena

MX-02
Dark Oak

MX-91
Soft Cherry

MX-04
Golden Oak

MX-24
Winchester

MX-14
Anteak

FX90
Aluminum Brush

** Please contact our sales team for other laminated colour options.*

2025 KP Building Products. All Rights Reserved.
All Trademarks are owned by KP products
KP_7000_BRO-CAN2025